

### MERCEDES BENZ MBZ 2.0L 4X2 VITO TOURER 121 VTB E



Model:	Mercedes-Benz Vito Tourer	
Vehicle type:	121 VTB/E	
Drivetrain:	4X2	
Baumuster:	44770513	
Vehicle type:	BASE extralong	

Engine power:	155 kW (211 PS)	
Wheelbase:	3430 mm	
Gross vehicle wei	ght:3100 kg	
Steering type:	left	

## Equipment

Lines, pa	ackages and variants
CF9	Basic suspension Plus
IG5	Basic
Z42	Registration as a passenger car
ZK5	Crewbus
ZH9	Tourer BASE

C	nassis	
*	>>>	Electrical steering
*	>>>	Front/rear disk brakes
	RD9	Tyres without name of make
	RG7	Tyres 225/55 R17
	RM7	Summer tyres
	RL8	Light alloy wheels 7 J x 17
	RR6	Spare wheel with jack
	RY2	Tyre pressure monitoring front/rear, wireless
	XA8	Weight variant 3.100 kg

#### Engines and transmissions

MM	Engine M274 DEH 20 LA 155 kW (211 hp) 5500 rpm
MB4	Low-emission vehicle Euro 5b+ Gr. I
MG9	Alternatormanagement
G42	7G-TRONIC PLUS
KB5	Fuel tank, large

#### Bodies and attachments

	F68	Exterior mirror heated and electr. adjustable
	F61	Rear mirror inside
k	>>>	Light range regulator
k	>>>	Lights Halogen
k	>>>	Third stop lamp
	LD0	Overhead control panel with 2 reading lamps

- LD9 Interior lamp(s) in rear
- LE1 Adaptive brake light
  T70 Child safety locks in passenger compartment doors
- \* >>> Sliding door right
- T14 Active retainer for sliding door
  - T19 Sliding door left

		Tailgate
		Electrical operation of sliding door, right
		Electrical operation of sliding door, left
		Handle for entrance
		Window front left, fixed, in sidewall/sliding door
		Window front right, fixed, in sidew./sliding door
	W29	Window fixed behind
*	>>>	front comfort electric window lift
		Window in tailgate/rear door with wipe/wash system
	H20	Heat-insulating glass all round
	CM2	Bumpers/detachable body parts painted body colour
*	>>>	Trawling eyelet to screw on front/rear
	FK2	Chromed radiator grille
		quipment, heating and air-conditioning
*		Seat belt warning for driver's seat
		Driver's seat
		Adjustable co-driver's seat
		Quick-release seat anch. sys. in rear, 2 seat rows
		Airbag, co-driver
*		Airbag, front driver's seat
		Locking glove compartment
*		Two cup holder
		Interior panelling higher execution
		Panelling under roof
	V41	Plastic flooring, TPO, in passenger compartment
	VH1	Grab handles in rear
	Y10	First aid kit
	Y44	Warning triangle
	H00	Hot-air duct to passenger compartment
	H09	Air conditioning system with increased capacity
	HH4	THERMOTRONIC automatic climate control
	HZ7	Air con., semi-autom., TEMPMATIC in rear
Ra		struments and electrics
		2-way loudspeakers, front
	ER0	Basic fittings f. radio
		heavy-duty battery
		Alternator 14 V / 190 A
*	>>>	Socket, 12 V
	JK3	Instrument cluster with pixel-matrix display
*	>>>	Engine speed indicator electronical
	J59	Warning system for speed limit
	JA1	Cleaning fluid level warning light
	J55	Seat belt reminder for co-driver seat
	CL4	Multifunction steering wheel with trip computer
	JW8	ATTENTION ASSIST
	JX1	Service interval 25.000 km
*	>>>	Temperature indicator
*	>>>	Crosswind Assist
		Headlight assistant
	CL1	Height and rake adjustable steering wheel
		Convenience opening and closing w. IR remote ctrl.
	FY7	3-button remote control
*	>>>	Immobilizer
		Hill-Start Assist
	MS1	Cruise control

Other eq	uipment
Z18	Country version, GCC states
X53	Labels / publications, Arabic
XC8	VIN visible from outside
XQ1	VIN encoded vehicle data with check digit
Z44	Registration of vehicle not possible in EU
YF7	Fire extinguisher 1 kg
XZ0	Model generation 0
XY8	Model year 8

# Technical data

## Dimensions and weights

Type		
Execution		VTB/E
Drivetrain		4X2
Wheelbase		3430 mm
Weights		
1. Front axle (en	npty)	1234 kg
2. Front axle (en	npty)	- kg
1. Rear axle (em	pty)	883 kg
2. Rear axle (em	pty)	- kg
kerb weight (inc	l. SA)	2117 kg
Payload		983 kg
Gross vehicle we	eight	3100 kg
Gross combinati	on weight	Trailer operation not permitted for this vehicle. kg
Engine		MM1
Displacement on	n <sup>3</sup>	1991
Engine output k'		155 / 211
Power/engine to in NM at 4000 r	rque	350
Tyres		
1st Axle:	2x RG7 -	Tyres 225/55 R17
2nd Axle:	2x RG7 -	Tyres 225/55 R17

) mm
342
742
742
742
G-
RONIC
PLUS



















